



**30 Ton Wolinak trim press
RECONDITIONED READY TO HOOK UP AND RUN**

Ref No 164

Distance between bars 20" x 29.5"

Platen size 30" x 39"

Tie Bar dia 3"

Cylinder stroke 12"

Machine completely re-wired
Trim Cylinder completely rebuilt
Hydraulic pump rebuilt
Allen Bradley Micro-logic 1000 PLC installed
Hydraulic valves rebuilt
Tie bar bushings inspected for condition
New die area guards installed
Heat exchangers cleaned and tested
Press cleaned and painted
Dry cycled and ready for production

Call or email for more information

Specifications subject to revisions

subject to prior sale



This equipment is being sold "AS IS" with no warranties expressed or implied by seller, except warranty of title. Buyer acknowledges that he has inspected the equipment and that he is purchasing the equipment on the basis of his own judgment and that he expressly disclaims any reliance upon statements or representations of seller not reflected herein. Buyer expressly disclaims any right to make any claim against seller resulting from buyer's use, operation, repair or rebuilding of the equipment. Buyer at its own and expense shall defend, indemnify and hold harmless Die Cast Press its agents and employees of and from all losses, expenses, claims, damages, liabilities, or penalties (including but not limited to any of the foregoing arising or imposed under the doctrine of strict liability), including attorneys fees incurred by Die Cast Press arising from the death, injury or sickness of any person, or damage to any property, caused or alleged to be caused by the purchase, sale, rental, use, operation, repair, maintenance, or rebuilding of the equipment, by buyer or any third party.

